

Tannin™ Has It.

VITASAN 10

tannincorp.com

COMPOSITION

For the prevention of mold, midew and spew.

SPECIFICATIONS

Appearance	Dark liquid
Activity	100% (± 2)
Charge	Anionic
Density (Lb/Gal)	7.7 (± 0.2)
pH (10% Solution)	4.0 - 6.0
Solubility	Insoluable in water.
Storage Stability	One year at room temperature. Optimum storage temperature is between 15°C and 30°C.
Freeze/Thaw Stability	Not sensitive to freezing. After freezing heat to 25°C to 30°C and mix well until homogeneous.
Lightfastness	Good
Electrolyte Stability	N/A
Emulsification	Not soluble in water. Must be mixed with fatliquor before emulsification with water.

KEY PROPERTIES

VITASAN 10 is made specifically for use in the wet end fatliquor process.

- Aids in the prevention of mold and fatty spews
- Will not mix with a bath containing water without first being mixed into a water free oil system

APPLICATIONS

All percentages based on Blue shaved weight.

FATLIQUORING

- 2.0 % VITASAN 10 together with fatliquors
 - In some formulations, a portion of the fatliquor may be reduced
 - Experimentation is necessary to determine the quantity required



Tannin Corporation
65 Walnut Street
Peabody, MA 01960, USA
Phone: +1.978.532.4010
Fax: +1.978.532.5536
sales@tannincorp.com

Tannin Mexico S.A. de C.V.
Blvd. San Crispin 130
Fracc. Ind. San Crispin
Leon, Gto. 37527, Mexico
teléfono: +52.477.770.9499
tanninmex@terra.com.mx